

**TECHNICAL MANUAL**

RETURN TO GOV. DOCS. OFFICE

**ORGANIZATIONAL MAINTENANCE REPAIR PARTS**

**AND SPECIAL TOOLS LISTS**

**AIR CONDITIONER; VERTICAL COMPACT, FLOOR MOUNTED,**

**36,000 BTU/HR COOLING, 30,000 BTU/HR HEATING:**

**208 VOLT, 3 PHASE, 50/60 HERTZ,**

**(TRANE MODEL MAC 6V40-340-2) FSN 4120-935-5421,**

**208 VOLT, 3 PHASE, 400 HERTZ**

**(TRANE MODEL MAC 4V40-340-3) FSN 4120-935-5418**

This copy is a reprint which includes current  
pages from Change 1.

CHANGE }  
NO. 1 }HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, D.C., 20315

## Organizational Maintenance Repair Parts and Special Tools Lists

AIR CONDITIONER; VERTICAL COMPACT, FLOOR MOUNTED,  
36,000 BTU/HR COOLING, 30,000 BTU/HR HEATING:  
208 VOLT, 3 PHASE, 50/60 HERTZ, (TRANE MODEL  
MAC 6V40-340-2) FSN 4120-935-5421, 208 VOLT,  
3 PHASE, 400 HERTZ (TRANE MODEL MAC 4V40-340-3)  
FSN 4120-935-5418

TM 5-4120-268-20P, 26 September 1970, is changed as follows:

Page 4, figure 2, item 8, Col 1, SMR Code is changed to read "PA".

Page 17, figure 14, item 5, Col 1, SMR Code is changed to read "PA0ZZ";  
reference number & MFR Code is changed to read "13214E4002 (97403)" and  
Clockwise rotation" is added to the nomenclature.

Page 17, figure 14, item 6, Col 1, SMR Code is changed to read "PA0ZZ";  
reference number & MFR Code is changed to read "1321E4001 (97403)" and "clockwise  
rotation" is added to the nomenclature.

Page 18, figure 14, item 10, Col 2, NSN is added "3110-00-124-9076"; Col 1  
reference number is changed to read "02-010999-2oz".

Page 35, Section V, Delete Ref No. "D4524-2050", MFR Code "60532", Fig.  
and Item No. "4".

Page 35, Delete Ref No. "FAN296", MFR Code "60532", Fig No. "14" and Item No. "4".

Page 36, Add Ref No. "13214E4002", MFR Code "97403", Fig No. "14" and Item No. "4".

Page 36, Add Ref to "13214E4001" MFR Code "97403", Fig No. "14" and Item No. "4".

By Order of the Secretary of the Army:

JOHN A. WICKHAM,  
General, United States Army  
Chief of Staff

Official:

R. L. DILWORTH  
Brigadier General, United States Army  
The Adjutant General

## DISTRIBUTION:

To be distributed in accordance with DA Form 12-25A, Organizational Maintenance  
requirements for Air Conditioner, Floor Mounted, Vertical Compact, 36,000  
Cool/30,000 BTU Heat, 208V, 3PH (MAC 4V40-340-3, 400HZ; MAC 6V40-340-2,

TECHNICAL MANUAL

No. 5-4120-268-20P

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, D. C., 26 September 19ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND  
SPECIAL TOOLS LISTSAIR CONDITIONER; VERTICAL COMPACT, FLOOR MOUNTED,  
36,000 BTU/HR COOLING, 30,000 BTU/HR HEATING:  
208 VOLT, 3 PHASE, 50/60 HERTZ, (TRANE MODEL  
MAC 6V40-340-2) FSN 4120-935-5421, 208 VOLT,  
3 PHASE, 400 HERTZ (TRANE MODEL MAC 4V40-340-3)  
FSN 4120-935-5418

Current as of 13 April 1970

	Paragraph
SECTION I. INTRODUCTION	
Scope	1
General	2
Explanation of columns	3
Special information	4
How to locate repair parts	5
Abbreviations	6
Federal supply codes for manufacturers	7
Recommendations for maintenance Publications improvement	8
II. PRESCRIBED LOAD ALLOWANCE	
	Listing Page
III. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE	2
Group 01. Casing and Related Parts	2
Casing, panels, grilles and mist eliminator	
Damper control, filter, grille, panel & guard	
02. Control Panel and Junction Box	7
Control panel	
Junction box, transformer and wiring harnesses	
Panel assembly	
Filter assembly	
03. Compressor	13
Compressor assembly	
Compressor electrical components	
05. Refrigeration Components and Condensate Drain	14
Evaporator, valves, tubes and fittings	
Condenser, dehydrator, receiver, valves, tubes and fittings	
06. Heater Assembly	15
Heater assembly	
07. Fans and Motors	15
Condenser fan and motor	
08. Evaporator fan and motor	
V. Wiring Harnesses	
SECTION IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not Applicable)	
V. FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX	

## SECTION I.

### INTRODUCTION

#### 1. Scope

This manual lists repair parts, special tools, test and support equipment required for the performance of organizational maintenance of the air conditioners.

#### 2. General

This Repair Parts and Special Tools List is divided into the following sections:

*a. Prescribed Load Allowance (PLA)—Section II.* A composite listing of the repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.

*b. Repair Parts—Section III.* A list of repair parts authorized for the performance of maintenance at the organizational level in figure and item number sequence.

*c. Special Tools, Test and Support Equipment—Section IV.* (Not Applicable).

*d. Federal Stock Number and Reference Number Index—Section V.* A list of Federal Stock Numbers in ascending numerical sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

*Note.* Items not illustrated are cross-referenced to group number.

#### 3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in sections II, III, and IV:

*a. Source, Maintenance, and Recoverability Codes (SMR).*

(1) Source code indicates the selection status and source for the listed item. Source codes are:

Code

Explanation

P Repair Parts, Special Tools and Test Equipment supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.

Code

Explanation

P2 Repair Parts, Special Tools and Test Equipment which are procured and stocked for insurance purposes because the combat military essentiality of the end item dictated that a minimum quantity be available in the supply system.

M Repair Parts, Special Tools and Test Equipment which are not procured or stocked, such, in the supply system but are to be manufactured at indicated maintenance levels.

A Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly in indicated maintenance categories.

X Parts and assemblies that are not procured or stocked because the failure rate is normally below that of the applicable end item component. The failure of such part or assembly should result in retirement of end item from the supply system.

X1 Repair parts which are not procured or stocked. The requirement for such item will be filled by the next higher assembly or component.

X2 Repair Parts, Special Tools and Test Equipment which are not stocked and have a foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage, the item may be requisitioned with exception data, from end item manager, for immediate use.

G Major assemblies that are procured with PEMA funds for initial issue only as change assemblies at DSU and GSU levels. These assemblies will not be stocked above the DS and GS level or returned to depot supply level.

R Applied to repair parts, (assemblies and components) special tools and test equipment which are considered economically repairable at direct and general support maintenance levels. When the item is no longer economically repairable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-1. When so listed, they will be replaced in supply on an exchange basis.

Code	Explanation
S	Repair Parts, Special Tools, Test Equipment and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	Higher dollar value recoverable repair parts, special tools and test equipment which are subject to special handling and are issued on an exchange basis. Such items will be repaired or overhauled at depot maintenance activities only. No repair may be accomplished at lower levels.
U	Repair Parts, Special Tools and Test Equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value or reusable casings or castings.

(2) Maintenance code indicates the lowest category of maintenance authorized to install the listed item. Repair parts and special tools assigned maintenance code "C" may be stocked at the operator level of maintenance when authorized by the Unit Commander. The maintenance level codes are:

Code	Explanation
C	Operator/crew
O	Organizational maintenance

(3) Recoverability code indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Applied to repair parts (assemblies and components) which are considered economically repairable at direct and general support maintenance levels. When the maintenance capability to repair these items does not exist, they are normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.
S	Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.

Code	Explanation
U	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings.
b. Federal Stock Number.	This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.
c. Description.	This column indicates the Federal item name and any additional description of the item required. Assembly components and subassemblies are indented under major assemblies. The abbreviation "w/e", when used as part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parenthesis. Repair parts quantities included in kits and sets are shown in front of the repair part name. Material required for manufacture or fabrication is identified.
d. Unit of Measure (U/M).	A two-character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.
e. Quantity Incorporated in Unit.	This column indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e.g., shims, spacers, etc.)
f. Fifteen-Day Organizational Maintenance Allowance.	
(1)	The allowance columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the allowance column. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.
(2)	The quantitative allowance for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units authorized additional prescribed loads, multiply the number of prescribed loads by the quantity in the appropriate density column to determine the number of repair parts authorized.

(3) To determine allowances when supporting more than 100 of these equipments: First, divide the number of equipments supported by 100 by moving the decimal two spaces left; second, multiply the result by the quantity in the 51-100 density column. Example; authorized allowance for 51-100 equipment is 40; for 150 equipments, multiply 40 by 1.50 or 60 parts authorized.

(4) Subsequent changes to allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to U. S. Army Mobility Equipment Command for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the U. S. Army Mobility Equipment Command based upon engineering experience, demand data, or TAERS information.

*g. Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item number.* Indicates the callout number used to reference the item in the illustration.

#### 4. Special Information

*a.* Identifications of the usable on codes included in the description columns of this publication are: (Applicable only when identifying parts to particular serial number range or model).

<i>Code</i>	<i>Used on</i>
A -----	Model MAC 6V40-340-2
B -----	Model MAC 4V40-340-3

*b.* Repair parts mortality has been based on 7200 hours of operation per year.

*a.* Parts which require manufacture or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

*d.* The following publication pertains to the Air Conditioners and their components.

TM 5-4120- 268-15	Operator, Organizational, DS, GS, and Depot Maintenance Manual
----------------------	--

*e.* The illustrations in this manual are identical to the applicable illustrations published in the -35P, Direct and General Support and Depot Maintenance Repair Parts and Special Tools List manual, and the figure numbers are the same as appear in that manual. The -35P illustrations

are given for a better understanding of the part relationship, however, only those parts assigned maintenance code "O" are listed in the tabular portion and only these parts are authorized for requisitioning from this manual.

#### 5. How to Locate Repair Parts

*a. When Federal Stock Number or Reference Number is Unknown:*

(1) *First.* Using the table of contents, determine the assembly group within which the repair part belongs. This is necessary since illustrations are prepared for assembly groups and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the assembly group to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth.* Using the Repair Part Listing find the assembly to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

*b. When the Federal Stock Number or Reference Number is Known:*

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

(2) *Second.* Using the Repair Part Listing find the assembly group of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

*c. When the Federal Stock Number or Reference Number is Known and the Repair Part is not Illustrated.*

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number in the section titled "Items Not Illustrated" and note the group number. This section of the index is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence cross-referenced to assembly group number.

(2) *Seconds.* Using the Table of Contents locate the assembly group number and page number.

(3) *Third.* Using the applicable group number and page number locate the pertinent

stock number or reference number in the Repair Parts Listing. Items which are not illustrated are listed at the end of the assembly group to which they belongs.

## 6. Abbreviations

amp	amperes
assy	assembly
dia	diameter
hex.	hexagon
hd	head
id	inside diameter
in.	inch (es)
lg	long (length)
mtg	mounting
od	outside diameter
thd	thread
thk	thick (ness)

## 7. Federal Supply Codes for Manufacturers

Code	Manufacturer
06151	Dialtron Corp
12881	Metex Corp
15605	Cutler-Hammer, Inc.
15653	Kaynar Mfg Co.
22694	Reid Hill Electronic, Inc.
31234	Edco Sales, Inc.
56289	Sprague Electric Co.
58849	Syntron Co.
60532	Trane Co., The
61957	United Shoe Machinery Corp
64731	Welco Industries, Inc.
71236	Camloc Fastener Corp
71400	Bussman Mfg Division of McGraw-Edison Co.
74193	Heinemann Electric Co.
75382	Kulka Electric Corp
78189	Shakeproof Division of Illinois Tool Works, Inc.

### Code

### Manufacturer

78553	Tinnerman Products, Inc.
79499	Western Felt Works
80205	National Aerospace Standards Committee Aeronautical Industries Association of America
81349	Military Specifications Promulgated by Standardization Div Directorate of Logistic Services DSA
82646	Spencer Safford Loadcraft, Inc.
82647	Metals and Controls, Inc. Control Products Group
86797	Rogan Co.
88044	Aeronautical Standards Group, Dept of Navy and Air Force
90763	United Carr Fastener Corp
92578	Pen Controls Inc
93232	Worthington Corp
93781	Jacks Evans Manufacturing Co.
94222	South Chester Corp
96906	Military Standards Promulgated by Standardization Div Directorate of Logistic Services DSA

## 8. Recommendations for Maintenance Publication Improvements

Report of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, U. S. Army Mobility Equipment Command, ATTN: AMSME-MPP, 4300 Goodfellow Boulevard, St. Louis, Mo. 63120.

1) FEDERAL TDC NUMBER	2) DESCRIPTION	3) DAY ORGANIZATIONAL MAINTENANCE ALLOWANCE	4) 5-5	5) 5-20	6) 21-50	7) 51-100
	SECTION 11 - PRESCRIBED LOAD ALLOWANCE					
	GROUP 01 - CASING AND RELATED PARTS					
4130-133-0408	FILTER, RETURN AIR AL18-4-5 (31234)				2	2
4130-038-0074	FILTER, FRESH AIR AL27-08-12-5 (31234)				2	2
	GROUP 02 - CONTROL PANEL AND JUNCTION BOX					
5920-280-3175	FUSE F09B250V16-10A (81349)				2	2
5920-939-5442	FUSE KAW5 (71400)				2	2
5945-976-3007	RELAY, THERMAL TIME DELAY FR30SNO-24 (06151)					2
	RELAY, SOLENOID: 25 AMP 9565H2B (15605)					2
	GROUP 07 - FANS AND MOTORS					
6105-253-5519	MOTOR, EVAPORATOR FAN: 60 CYCLE 926303 (64731)	A				2
6105-253-5520	MOTOR, EVAPORATOR FAN: 400 CYCLE 4715-22 (64731)	B				2
6105-401-4616	MOTOR, CONDENSER FAN: 60 CYCLE 7015-4 (64731)	A				2
	MOTOR, CONDENSER FAN: 400 CYCLE 7025-6 (64731)	B				2



(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) UNIT OF MEAS	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG. NO.	(b) ITEM NO.
		SECTION III - REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE								
		GROUP 01 - CASING AND RELATED PARTS								
P O	5305-984-6194	SCREW, MACHINE: NO. 8-32 THD SIZE, 5/8 IN. LG MS35206-246 (96906)		EA	39	*	*	*	1	1
P O	5310-011-4986	WASHER, FLAT: NO. 8 SCREW SIZE MS27183-7 (96906)		EA	72	*	*	*	1	2
X20		TURNLOCK, FASTENER: CANVAS COVER MTG XX78328-20 (90763)		EA	2				1	3
X20		PANEL ASSEMBLY, TOP C4525-549 (60532)		EA	1				1	
P O		RIVET, BLIND AK41H (61957)		EA	20	*	*	*	1	4
X20		NUT, SELF-LOCKING: PLATE F39155-08 (15653)		EA	10				1	5
X20		NUT, SELF-LOCKING: PLATE, FASTENER MTG, NO. 10-32 THD SIZE F39155-3 (15653)		EA	2				1	6
X1		PANEL B4525-537-1 (60532)		EA	1				1	7
M O		INSULATION: PANELS, CASING C4525-326-1 (60532) MANUFACTURE FROM:		EA	V				1	8
		INSULATION, SHEET, 1/2 IN. THK, AS REQUIRED, FSN 5640-785-7788								
M O		INSULATION: PANEL MANUFACTURE FROM:							1	9
		INSULATION, SHEET, 5/16 IN. THK, AS REQUIRED, FSN 5640-198-7255								
P O	5305-984-6195	SCREW, MACHINE: NO. 8-32 THD SIZE, 3/4 IN. LG MS35206-247 (96906)		EA	24	*	*	*	1	10
X20		GRILLE ASSEMBLY, DISCHARGE A4525-403 (60532)		EA	1				1	11
M O		GASKET, RUBBER: PANELS, GRILLES C4525-703-2 (60532) MANUFACTURE FROM:		EA	V				1	12
		ROLL, RUBBER, 1/8 IN. X 1 IN., AS REQUIRED, FSN 9320-935-2036								
P O		MIST ELIMINATOR B4525-770 (60532)		EA	1	*	*	*	1	13
X20		GRILLE ASSEMBLY, INTAKE A4525-400 (60532)		EA	1				1	14
X20		PANEL ASSEMBLY: LOWER FRONT B4525-394 (60532)		EA	1				1	
X20	5305-984-7441	SCREW ASSEMBLY 12-11-613-12 (94222)		EA	3				1	15
X20		WASHER, RETAINING: PANEL MTG 12-11014-12 (94222)		EA	5				1	16
X20		SCREW ASSEMBLY: PANEL MTG 12-11-504-12 (94222)		EA	2				1	17
X20		PLATE, HOLDING: INSULATION BOARD D4525-231-1 (60532)		EA	1				1	18

(1) SMC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) USABLE ON CODE	(5) UNIT OF MEAS	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUS- TRATION	
						(a)	(b)	(c)	(d)	(e)	(f)
						1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
(9) REF NUMBER & MFR CODE											
X20		INSULATION BOARD C4525-392-1 (60532)		EA	1					1	19
X20		INSULATION BOARD C4525-391-1 (60532)		EA	1					1	20
X1		PANEL B4525-393-1 (60532)		EA	1					1	21
X20		BAFFLE ASSEMBLY: LOWER FRONT PANEL C4525-124 (60532)		EA	1					1	
X20		TURNLOCK FASTENER 40537-7 (71286)		EA	4					1	22
X1		BAFFLE D4525-123-1 (60532)		EA	1					1	23
X20		EYELET 4002N (71286)		EA	4					1	24
X20		RING, RETAINING R4G (71286)		EA	4					1	25
X20		RECEPTACLE, TURNLOCK FASTENER 244-16 (71286)		EA	4					1	26
P O	5305-984-6193	SCREW, MACHINE: SCREEN SUPPORT MTG, NO. 8-32 THD SIZE, 1/2 IN. LG MS35206-245 (96906)		EA	5	*	*	*	*	1	27
P O	5310-045-3299	WASHER, LOCK: NO. 8 SCREW SIZE MS35338-42 (96906)		EA	5	*	*	*	*	1	28
X20		ANGLE: FILTER SUPPORT C4525-524-1 (60532)		EA	1					1	29
P O	4130-193-8488	FILTER, RETURN AIR AL184-5 (31234)		EA	1	*	*	2	2	1	30
P O	5305-989-7435	SCREW, MACHINE: BAFFLE MTG, NO. 10-32 THD SIZE, 5/8 IN. LG MS35207-264 (96906)		EA	10	*	*	*	*	1	32
P O	5310-045-3296	WASHER, LOCK: BAFFLE MTG, NO. 10 SCREW SIZE MS35338-43 (96906)		EA	10	*	*	*	*	1	33
P O	5310-809-8546	WASHER, FLAT: BAFFLE MTG, NO. 10 SCREW SIZE MS27183-8 (96906)		EA	10	*	*	*	*	1	34
X20		BAFFLE: LH B4525-316-1 (60532)		EA	1					1	35
X20		BAFFLE: RH B4525-317-1 (60532)		EA	1					1	35
X20		RING, INLET: EVAPORATOR FAN C4525-689-1 (60532)		EA	2					1	36
P O	5306-225-9089	SCREW, CAP, HEXAGON HEAD: SUPPORT MTG, 5/16-24 THD SIZE, 1 IN. LG MS90726-34 (96906)		EA	4	*	*	*	*	1	37
P O	5310-081-4219	WASHER, FLAT: SUPPORT MTG, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	4	*	*	*	*	1	38
X20		SHIM, ADJUSTING: EVAPORATOR FAN MOTOR, .063 IN. THK C4525-761-1 (60532)		EA	2					1	39
X20		SHIM, ADJUSTING: EVAPORATOR FAN MOTOR, .032 IN. THK C4525-761-2 (60532)		EA	2					1	40
X20		SUPPORT: EVAPORATOR FAN MOTOR B4525-525 (60532)		EA	1					1	41

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a)	(b)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
P O		PLUG, PIPE: BASE, DRAIN, 1/2 IN. SOCKET HEAD PLV128 (60532)	EA	4	*	*	*	*	1	55
O	4130-469-6758	BLOCK OFF ASSEMBLY: CONTROL PANEL APERTURE, LOWER FRONT PANEL B4525-249-21 (60532)	EA	1					1	
P O	5310-889-2544	NUT, SELF-LOCKING: HEXAGON COVER MTG, NO. 6-32 THD SIZE MS21045-06 (96906)	EA	8	*	*	*	*	1	56
P O	5305-889-3000	SCREW, MACHINE: COVER MTG, NO. 6-32 THD SIZE, 1/2 IN. LG MS35206-230 (96906)	EA	8	*	*	*	*	1	57
X20		COVER B4525-196-3 (60532)	EA	1					1	58
X20		COVER B4525-196-2 (60532)	EA	1					1	59
X1		BRACKET, BLOCK OFF C4525-241-21 (60532)	EA	1					1	60
P O	5305-984-6194	SCREW, MACHINE: NO. 8-32 THD SIZE, 5/8 IN. LG MS35206-246 (96906)	EA	68	*	*	*	*	2	1
X20		COVER, ACCESS: EVAPORATOR FAN MOTOR D4525-128-2 (60532)	EA	1					2	2
X20		COVER, CARBURETOR: FILTER ACCESS D4525-128-1 (60532)	EA	1					2	3
P O	5310-045-3299	WASHER, LOCK: NO. 8 SCREW SIZE MS35338-42 (96906)	EA	10	*	*	*	*	2	4
X20		FRAME, FILTER: FRESH AIR B4525-749 (60532)	EA	1					2	5
P O	4130-938-0974	FILTER, FRESH AIR AL27-88-12-5 (31234)	EA	1	*	*	2	2	2	6
P O	5310-011-4986	WASHER, FLAT: NO. 8 SCREW SIZE MS27183-7 (96906)	EA	12	*	*	*	*	2	7
X20		SCREEN, CONDENSER C4525-417-1 (60532)	EA	1					2	8
P O	5310-811-3494	NUT, SELF-LOCKING: HEXAGON, GUARD MTG, NO. 8-32 THD SIZE MS21044N08 (96906)	EA	6					2	9
X20		GUARD, CONDENSER FAN A4525-229-1 (60532)	EA	1					2	10
X20		BACK PANEL AND MOTOR SUPPORT: CONDENSER FAN MOTOR E4525-617 (60532)	EA	1					2	11
P O	5310-889-2544	NUT, SELF-LOCKING: HEXAGON, COVER MTG, NO. 6-32 THD SIZE MS21045-06 (96906)	EA	16					2	12
P O	5305-889-3001	SCREW, MACHINE: COVER MTG, NO. 6-32 THD SIZE, 1/2 IN. LG MS35206-230 (96906)	EA	16					2	13
X20		COVER, ACCESS: CASING B4525-196-3 (60532)	EA	4					2	14
X20		CONTROL ASSEMBLY, DAMPER B4525-539 (60532)	EA	1					2	
P O	5310-061-7325	NUT, SELF-LOCKING: HEXAGON, 1/4-28 THD SIZE MS21045-4 (96906)	EA	3	*	*	*	*	2	15

11 SMR CODE	21 FEDERAL STOCK NUMBER	31 DESCRIPTION  REF NUMBER & MFR CODE	41 USABLE ON CODE	51 UNIT OF MEAS UNIT	61 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				71 ILLUS- TRATION	
					a1	b1	c1	d1	a1	b1
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
X20		WASHER, FLAT: 1/4 IN. ID, .518 IN. OD B4525-307-24 (60532)		EA	3				2	16
P O		BOLT, SHOULDER: ARM MTG, 1/4-28 THD SIZE, .713 IN. LG NAS1297-4-4 (80205)		EA	1	*	*	*	2	17
P O	5305-175-3230	SCREW, DRIVE: DAMPER CONTROL PLATE MS21318-14 (96906)		EA	4	*	*	*	2	18
X20		PLATE, INSTRUCTION: DAMPER C4525-208-1 (60532)		EA	2				2	19
P O	5305-724-6799	SETSCREW: KNOB, NO. 10-32 THD SIZE, 3/8 IN. LG, CUP POINT MS51964-51 (96906)		EA	2	*	*	*	2	20
X20		KNOB, DAMPER CONTROL C4525-228-1 (60532)		EA	2				2	21
P O	5315-663-2329	PIN, SPRING: WORM, 3/32 IN. DIA, 11/16 IN. LG MS171499 (96906)		EA	1	*	*	*	2	22
P O	5310-081-4219	WASHER, FLAT: WORM MTG, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	2	*	*	*	2	23
X20		WASHER, SPRING: WORM AND GEAR MTG, 5/8 IN. OD, 5/16 IN. ID, .020 IN. THK 3502-18-365 (78189)		EA	3				2	24
X20		ROD, LINKAGE D4525-493-2 (60532)		EA	1				2	25
P O	5310-061-7326	NUT, SELF-LOCKING: HEXAGON, GEAR HOUSING, NO. 10-32 THD SIZE MS21045-3 (96906)		EA	4	*	*	*	2	26
P O	5310-809-8546	WASHER, FLAT: NO. 10 SCREW SIZE MS27183-8 (96906)		EA	12				2	27
P O	5305-989-7435	SCREW, MACHINE: HOUSING MTG, NO. 10-32 THD SIZE, 5/8 IN. LG MS35207-264 (96906)		EA	4	*	*	*	2	28
X1		HOUSING, GEAR D4525-579 (60532)		EA	1				2	29
X20		ARM, LINKAGE D4525-533-1 (60532)		EA	1				2	30
P O		BOLT, SHOULDER: ARM MTG, 1/4-28 THD SIZE, .813 IN. LG NAS1297-4-6 (80205)		EA	1	*	*	*	2	31
X20		SPACER: ROD MTG D4525-794-1 (60532)		EA	2				2	32
P O	5305-267-8985	SCREW, CAP, HEXAGON: HOUSING, 1/4-28 THD SIZE, 3 IN. LG MS90726-18 (96906)		EA	1	*	*	*	2	33
X20		GEAR AND LEVER ASSEMBLY C4525-535 (60532)		EA	1				2	34
X1		GEAR, WORM D4524-6038-1 (60532)		EA	1				2	35
P O	5310-889-2549	NUT, SELF-LOCKING: HEXAGON, DOOR MTG, NO. 8-32 THD SIZE MS21045-08 (96906)		EA	8	*	*	*	2	36
X20		DOOR ASSEMBLY: DAMPER B4525-538 (60532)		EA	1				2	37
P O	5305-989-7434	SCREW, MACHINE: COVER MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	20	*	*	*	2	38

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a)	(b)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
X20		COVER, DAMPER DOOR C4525-762-1 (60532)	EA	2					2	39
X20		GROMMET: ROD MTG G1152 (79499)	EA	1					2	40
X20		HANDLE, LIFTING B4525-244-1 (60532)	EA	2					2	41
X20		COVER, CANVAS: CASING, REAR A4525-261 (60532)	EA	1						
X20		PLATE, IDENTIFICATION: CHECK TEMPLATE, BRAKE, REAR D4525-141-1 (60532)	EA	1						
X20		PLATE, INSTRUCTION: DANGER, FAN GUARD C4525-209-1 (60532)	EA	1						
X20		PLATE, INSTRUCTION: CUTOUT C4525-211-1 (60532)	EA	1						
X20		PLATE, INSTRUCTION: ELECTRICAL C4525-220-1 (60532)	A EA	1						
X20		PLATE, INSTRUCTION: ELECTRICAL C4525-221-1 (60532)	B EA	4						
X20		PLATE, INSTRUCTION: CHARGE C4525-768-1 (60532)	EA	1						
X20		PLATE, INFORMATION: WEIGHT C4525-767-1 (60532)	A EA	1						
X20		PLATE, INFORMATION: WEIGHT C4525-765-1 (60532)	B EA	1						
P O	5320-932-1972	RIVET, BLIND: CHECK TEMPLATE BRAKE, REAR ACCESS PLATE AD42H (61957)	EA	2	*	*	*	*		
P O	5320-882-8388	RIVET, BLIND: PLATE MTG AD43H (61957)	EA	6	*	*	*	*		
X20		WASHER, CUP: PLATE MTG, FAN GUARD C4525-277-1 (60532)	EA	4						
P O	5310-584-7800	WASHER, FLAT: GROUND MTG, NO. 10 SCREW SIZE MS15795-708 (96906)	EA	3	*	*	*	*	3	18
P O	5310-012-0614	NUT, SELF-LOCKING: HEXAGON, GROUND MTG, NO. 10-32 THD SIZE MS35650-102 (96906)	EA	1	*	*	*	*	3	19
P O	5310-061-7326	NUT, SELF-LOCKING: HEXAGON, GROUND MTG, NO. 10-32 THD SIZE MS21045-3 (96906)	EA	1	*	*	*	*	3	20
P O	5305-984-6194	SCREW, MACHINE: HARNESS MTG, NO. 6-32 THD SIZE, 1 IN. LG MS35206-234 (96906)	EA	4	*	*	*	*	3	21
P O	5310-889-2544	NUT, SELF-LOCKING: HEXAGON, HARNESS MTG, NO. 6-32 THD SIZE MS21045-06 (96906)	EA	4	*	*	*	*	3	22
M O		WIRING, HARNESS: J8 CONTROL PANEL B4525-590 (60532) MANUFACTURE FROM:  CONNECTOR RECEPTACLE, ELECTRIC, 1 REQUIRED, FP3106-28-9P (77820)  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517  WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516	EA	1					3	23
			EA	1						

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) UNIT OR MEAS  USABLE ON CODE	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(e)	(f)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
		TERMINAL LUG, 2 REQUIRED, FSN 5940-557-1627								
		TERMINAL LUG, 12 REQUIRED, FSN 5940-859-4475								
X20		SPACER: WIRING HARNESS MTG, DA525-792-1 (60532)	EA	2					3	24
		GROUP 02 - CONTROL PANEL AND JUNCTION BOX								
P 0	5305-043-1942	SCREW, CAP, HEXAGON HEAD: CONTROL PANEL MTG, 10-32 THD SIZE, 1/2 IN. LG	EA	2	*	*	*	*	3	1
X20		CONTROL PANEL AA525-595-1 (60532)	EA	1					3	
X20		KNOB RB175 (86797)	EA	2					3	2
X20		CONTROL PANEL AA525-595-1 (60532)	EA	1					3	3
P 0	5305-984-6193	SCREW, MACHINE: PLATE AND SWITCH MTG, NO. 8-32 THD SIZE, 1/2 IN. LG MS35206-245 (96906)	EA	8	*	*	*	*	3	3
P 0	5310-889-2549	NUT, SELF-LOCKING: HEXAGON, PLATE AND CONTROL MTG, NO. 8-32 THD SIZE MS21045-08 (96906)	EA	8	*	*	*	*	3	4
M 0		LEAD, ELECTRICAL, V14A16 AA525-293-68 (60532) MANUFACTURE FROM:	EA	1					3	5
		WIRE, ELECTRICAL, 16 AWG, AS REQUIRED, FSN 6145-578-7517								
		TERMINAL LUG, 1 REQUIRED, FSN 5940-859-4475								
		TERMINAL LUG, 1 REQUIRED, FSN 5940-557-1627								
P 0	5930-876-1634	CONTROL, TEMPERATURE THERMOSTAT A19AGF9 (92578)	EA	1	*	*	*	*	3	6
X20		GROMMET, RUBBER: PLATE MS35490-1 (96906)	EA	1					3	7
P 0	5305-989-7434	SCREW, MACHINE: CLAMP MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)	EA	1	*	*	*	*	3	8
P 0	5310-045-3296	WASHER, LOCK: NO. 10 SCREW SIZE MS35338-43 (96906)	EA	4	*	*	*	*	3	9
X20		CLAMP, LOOP: TEMPERATURE CONTROL, BULB MTG MS219190G6 (96906)	EA	2					3	10
X20		PANEL ASSEMBLY BA525-596 (60532)	EA	1					3	
X20		PLATE CA525-597 (60532)	EA	1					3	11
P 0	5320-932-1972	RIVET, BLIND: INSTRUCTION PLATE AD42H (61957)	EA	6	*	*	*	*	3	12
X20		PLATE, INSTRUCTION CA525-206-1 (60532)	EA	1					3	13
X20		INSULATION: PANEL ASSEMBLY CA525-588-1 (60532)	EA	2					3	14
X20		PANEL AA525-594-1 (60532)	EA	1					3	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a)	(b)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
P O	5930-907-8948	SWITCH, ROTARY 8912K216 (15605)	EA	1	*	*	*	*	3	16
P O	5305-993-1851	SCREW, MACHINE: GROUND MTG, NO. 10-32 THD SIZE, 1 IN. LG MS35207-267 (96906)	EA	1	*	*	*	*	3	17
P O	5305-043-1942	SCREW, CAP, HEXAGON HEAD: BOX MTG, NO. 10-32 THD SIZE, 1/2 IN. LG	EA	6	*	*	*	*	4	1
P O	5305-018-3878	SCREW, CAP, HEXAGON HEAD: BOX MTG, NO. 10-32 THD SIZE, 5/8 IN. LG	EA	2	*	*	*	*	4	2
P O	5310-198-3703	WASHER, FLAT: BOX MTG, NO. 10 SCREW SIZE	EA	2	*	*	*	*	4	3
X20		JUNCTION BOX ASSEMBLY AA525-500-1 (60532)	EA	1						
X20		BOX, JUNCTION AA525-498 (60532)	EA	1					4	4
X20		INSERT, SCREW THREAD MS35914-108 (96906)	EA	4					4	5
P O	5320-874-4477	RIVET, BLIND: NUT MTG AK42H (61957)	EA	2	*	*	*	*	4	6
X20		NUT, SHEET SPRING 12-1102013 (94222)	EA	1					4	7
X20		PANEL ASSEMBLY: COVER B4525-387-1 (60532)	EA	1					4	
P O	5320-932-1972	RIVET, BLIND: DIAGRAM MTG AD42H (61957)	EA	6	*	*	*	*	REF	
X20		PLATE, INSTRUCTION: WIRING DIAGRAM A2301-8958 (60532)	A	EA	1				4	8
X20		PLATE, INSTRUCTION: WIRING DIAGRAM A2301-8959 (60532)	B	EA	1				4	8
X20		SCREW ASSEMBLY: PANEL MTG 12-11-203-12 (94222)	EA	4					4	9
X20		WASHER, RETAINING 12-11014-12 (94222)	EA	4					4	10
X20		PANEL B4525-386-1 (60532)	EA	1					4	11
M O		GASKET, RUBBER C4525-1255-17 (60532) MANUFACTURE FROM:  ROLL, RUBBER, 1/8 IN. X 1 IN., AS REQUIRED, FSN 9320-935-2036	EA	2					4	12
X20		NUT, SHEET, SPRING: PANEL MTG C13853-1420 (78553)	EA	4					4	13
P O	5305-889-3000	SCREW, MACHINE: HARNESS MTG, NO. 6-32 THD SIZE, 1/2 IN. LG MS35206-230 (96906)	EA	8	*	*	*	*	4	14
P O	5310-889-2544	NUT, SELF-LOCKING: HEXAGON, HARNESS AND TRANSFORMER MTG, NO. 6-32 THD SIZE MS21045-06 (96906)	EA	12	*	*	*	*	4	15
M O		WIRING, HARNESS: J13 C4525-354 (60532) MANUFACTURE FROM:  CONNECTOR RECEPTACLE, ELECTRIC, 1 REQUIRED, P/N MS3102R24-22PX (96906)  TERMINAL LUG, 3 REQUIRED, FSN 5940-557-4346	EA	1					4	16

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) UNIT OF MEAS  QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG. NO.	(b) ITEM NO.
		TERMINAL LUG, 1 REQUIRED, FSN 5940-557-1631  WIRE, ELECTRICAL, NO. 8 AWG, AS REQUIRED, FSN 6145-184-3878  TRANSFORMER, POWER STEP DOWN 35566 (22694)		EA 1	*	*	*	*	4	17
P O										
M O		WIRING, HARNESS: J14 B4525-500 (60532) MANUFACTURE FROM:  CONNECTOR RECEPTACLE, 1 REQUIRED, P/N MS3102R28-9SW (96906)  TERMINAL LUG, 7 REQUIRED, FSN 5940-644-8713  TERMINAL LUG, 4 REQUIRED, FSN 5940-557-1623  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517  WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516		EA 1					4	18
P O		SCREW, MACHINE: HARNESS MTG, NO. 8-32 THD SIZE, 5/8 IN. LG MS35206-245 (96906)		EA 8	*	*	*	*	4	19
P O	5310-285-7083	NUT, SELF-LOCKING: HEXAGON, HARNESS MTG, NO. 8-32 THD SIZE MS21044N08 (96906)		EA 8	*	*	*	*	4	20
M O		WIRING, HARNESS: J4 A4525-502 (60532) MANUFACTURE FROM:  CONNECTOR RECEPTACLE, 1 REQUIRED, P/N MS3102R36-14S (96906)  TERMINAL LUG, 9 REQUIRED, FSN 5940-557-1627  TERMINAL LUG, 3 REQUIRED, FSN 5940-230-0515  TERMINAL LUG, 3 REQUIRED, FSN 5940-644-8713  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517  WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516		EA 1					4	21
M O		WIRING, HARNESS: J10 B4525-504 (60532) MANUFACTURE FROM:  CONNECTOR RECEPTACLE, 1 REQUIRED, P/N 3102R36-14SX (96906)  TERMINAL LUG, 4 REQUIRED, FSN 5940-557-1627  TERMINAL LUG, 2 REQUIRED, FSN 5940-644-8713  TERMINAL LUG, 3 REQUIRED, FSN 5940-204-9142  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517  WIRE, ELECTRICAL, NO. 10 AWG, AS REQUIRED, FSN 6145-578-7513		EA 1					4	22



(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE  USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a)	(b)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
P O	5305-984-4988	SCREW, MACHINE: COVER AND CIRCUIT BREAKER MTG, NO. 6-32 THD SIZE, 3/8 IN. LG MS35206-228 (96906)	EA	4	*	*	*	*	5	1
X20		COVER, CIRCUIT BREAKER C4525-203 (60532)	EA	1					5	2
P O	5925-465-9743	CIRCUIT BREAKER 71-212-4MG6 (74193)	A	EA	1	*	*	*	5	3
P O		CIRCUIT BREAKER 71-212-5MG6 (74193)	B	EA	1	*	*	*	5	3
X20		PLATE ASSEMBLY B4525-496-1 (60532)	EA	1					5	
P O	5310-889-2549	NUT, SELF-LOCKING: HEXAGON RELAY MTG, NO. 8-32 THD SIZE MS21045-08 (96906)	EA	16	*	*	*	*	5	4
P O		RELAY, SOLENOID: 25 AMP 9565H2B (15605)	EA	3	*	*	*	2	5	5
P O	5305-984-6193	SCREW, MACHINE: CONTROL ASSEMBLY MTG, NO. 8-32 THD SIZE, 1/2 IN. LG MS35206-245 (96906)	EA	4	*	*	*	*	5	6
P O	5310-045-3299	WASHER, LOCK: NO. 8 SCREW SIZE MS35338-42 (96906)	EA	8	*	*	*	*	5	7
P O	5310-011-4986	WASHER, FLAT: NO. 8 SCREW SIZE MS27183-7 (96906)	EA	4	*	*	*	*	5	8
X20		CONTROL ASSEMBLY C4525-408-2 (60532)	EA	1					5	
X20		BRACKET C4525-407 (60532)	EA	1					5	9
P O	5310-197-2298	NUT, SELF-LOCKING: HEXAGON, RELAY MTG, NO. 4-40 THD SIZE MS21044N04 (96906)	EA	2	*	*	*	*	5	10
P O	5305-993-0190	SCREW, MACHINE: RELAY MTG, NO. 4-40 THD SIZE, 5/16 IN. LG MS35206-214 (96906)	EA	2	*	*	*	*	5	11
X20		RELAY ASSEMBLY, TIME DELAY B4525-338-2 (60532)	EA	1					5	
P O	5945-976-3007	RELAY, THERMAL TIME DELAY FR30SHO-24 (06151)	EA	1	*	*	*	2	5	12
M O		LEAD, ELECTRICAL, RELAY A4525-291-48 (60532) MANUFACTURE FROM:  TERMINAL LUG, 3 REQUIRED, FSN 5940-557-1627  WIRE, ELECTRICAL, NO. 16 AWG, 35 IN. REQUIRED, FSN 6145-578-7517	EA	3					5	13
P O	5305-984-6197	SCREW, MACHINE: TERMINAL BOARD MTG, NO. 8-32 THD SIZE, 1 IN. LG MS35206-249 (60532)	EA	4	*	*	*	*	5	14
X20		TERMINAL BOARD 605JJ2502-6 (75382)	EA	1					5	15
P O	5305-958-5451	SCREW, MACHINE: FUSEHOLDER MTG, NO. 6-32 THD SIZE, 5/8 IN. LG MS35190-239 (96906)	EA	4	*	*	*	*	5	16
P O	5310-550-0284	WASHER, LOCK: FUSEHOLDER MTG, NO. 6 SCREW SIZE MS35336-9 (96906)	EA	4	*	*	*	*	5	17

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) UNIT OF MEAS	(6) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION:	
						(a)	(b)	(c)	(d)	(e)	(f)
						1-5	6-20	21-50	51-100	FIG. NC.	ITEM NC.
X20		FUSEHOLDER 2819 (71400)		EA	1					5	18
X20		FUSEHOLDER 4515 (71400)		EA	1					5	19
P O	5920-280-3175	FUSE F098250V16-10A (81349)		EA	2	*	2	2	2	5	20
P O	5920-939-5442	FUSE KAW5 (71400)		EA	1	*	*	2	2	5	21
P O	5305-995-3444	SCREW, MACHINE: TERMINAL BOARD MTG, NO. 10-32 THD SIZE, 7/8 IN. LG MS35207-266 (96906)		EA	4	*	*	*	*	5	22
P O	5310-004-3296	WASHER, LOCK: PLATE AND TERMINAL BOARD MTG, NO. 10 SCREW SIZE MS35338-43 (96906)		EA	10	*	*	*	*	5	23
P O	5310-809-8546	WASHER, FLAT: TERMINAL BOARD, NO. 10 SCREW SIZE MS27183-8 (96906)		EA	4	*	*	*	*	5	24
X20		TERMINAL BOARD 22010 (75382)		EA	1					5	25
P O	5945-826-2218	RELAY, SOLENOID: 50 AMP 9565494 (15605)		EA	1	*	*	*	*	5	26
P O	5305-989-7434	SCREW, MACHINE: PLATE MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	6	*	*	*	*	5	27
X20		PANEL B4525-459 (60532)		EA	1					5	28
P O	5310-061-7326	NUT, SELF-LOCKING: HEXAGON, GROUND LEAD MTG, NO. 10-32 THD SIZE MS21045-3 (96906)		EA	1	*	*	*	*	5	29
M O		LEAD, ELECTRICAL: X5CN8N, GROUND JUNCTION BOX A4525-293-82 (60532) MANUFACTURE FROM:  TERMINAL LUG, 2 REQUIRED, FSN 5940-557-4346  WIRE, ELECTRICAL, NO. 8 AWG, 2 REQUIRED, FSN 6145-184-3878		EA	1					5	30
P O	5305-993-1851	SCREW, MACHINE: GROUND LEAD MTG, NO. 10-32 THD SIZE, 1 IN. LG MS35207-267 (96906)		EA	1	*	*	*	*	5	31
X20		FILTER AND RECTIFIER ASSEMBLY B4525-275 (60532)		EA	1					6	
P O	5310-761-6882	NUT, PLAIN, HEXAGON: RECTIFIER MTG, 1/4-20 THD SIZE MS51967-2 (96906)		EA	1	*	*	*	*	6	1
P O	5310-010-3319	WASHER, LOCK: RECTIFIER MTG, 1/4 IN. SCREW SIZE		EA	1	*	*	*	*	6	2
P O	5310-595-5437	WASHER, FLAT: RECTIFIER MTG, 1/4 IN. SCREW SIZE		EA	1	*	*	*	*	6	3
P O	5305-984-4988	SCREW, MACHINE: CAP MTG, 6-32 THD SIZE, 3/8 IN. LG MS35206-228 (96906)		EA	4	*	*	*	*	6	4
P O	5310-082-1404	WASHER, FLAT: CAP MTG, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	4	*	*	*	*	6	5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE -AL #				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a)	(b)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
X20		CAP, TOP END C4525-268-1 (60532)	EA	1					6	6
X20		GASKET 10-006 (12881)	EA	1					6	7
P O		RECTIFIER, SEMICONDUCTOR DEVICE SS0257 (58849)	EA	1	*	*	*	*	6	8
X20		TUBE ASSEMBLY C4525-270 (60532)	EA	1					6	
P O		RIVET, BLIND AK41H (61957)	EA	8	*	*	*	*	6	9
P O		NUT, SELF-LOCKING: CAP MTG, NO. 6-32 THD SIZE MS21062-06 (96906)	EA	4	*	*	*	*	6	10
X20		TUBE C4525-266-1 (60532)	EA	1					6	11
P O	5320-082-0388	RIVET, BLIND: CAP MTG AD43H (61957)	EA	4	*	*	*	*	6	12
X20		CAP, BOTTOM END C4525-269 (60532)	EA	1					6	13
X20		GASKET 10-006 (12881)	EA	1					REF	
P O		NUT, BLIND RIVET: CAP MTG MS27131-15K (96906)	EA	4	*	*	*	*	6	14
P O	5310-167-1202	NUT, PLAIN, HEXAGON: FILTER MTG, 7/16-20 THD SIZE AN316-7R (88044)	EA	4	*	*	*	*	6	15
P O	5310-309-4085	WASHER, FLAT: FILTER MTG, 7/16 IN. SCREW SIZE MS27183-16 (96906)	EA	4	*	*	*	*	6	16
P O		FILTER, RADIO FREQUENCY INTERFERENCE 5JX100MODIFIED (56289)	EA	4	*	*	*	*	6	17
M O		LEAD, ELECTRICAL: FILTERS AH525-291-75 (60532) MANUFACTURE FROM:  TERMINAL LUG, FSN 5940-259-4475  TERMINAL LUG, 2 REQUIRED, FSN 5940-534-0970  TERMINAL LUG, 2 REQUIRED, FSN 5940-557-1627  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517	EA	8					6	18
P O	5305-989-7435	SCREW, MACHINE: FILTER TO BOX MTG, NO. 10-32 THD SIZE, 5/8 IN. LG MS35207-264 (96906)	EA	4	*	*	*	*	6	19
P O	5310-045-3296	WASHER, LOCK: FILTER TO BOX MTG, NO. 10 SCREW SIZE MS35338-43 (96906)	EA	4	*	*	*	*	6	20
P O	5310-309-2546	WASHER, FLAT: FILTER TO BOX MTG, NO. 10 SCREW SIZE MS27183-3 (96906)	EA	4	*	*	*	*	6	21
M O		WIRING, JUNCTION BOX: INDIVIDUAL LEADS MANUFACTURE FROM:  TERMINAL LUG, 13 REQUIRED, FSN 5940-204-9142	EA	30						

1)	2)	3)	4)	5)	6)				7)
SWR CODE	FEDERAL STOCK NUMBER	DESCRIPTION  REF NUMBER & MFR CODE	UNIT OF MEAS	QTY NC N UNIT	15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				ILLUS TRATIO
					a)	b)	c)	d)	e)
					1-5	6-20	21-50	51-100	FIG. NO.
		TERMINAL LUG, 12 REQUIRED, FSN 5940-230-0515  TERMINAL LUG, 2 REQUIRED, FSN 5940-534-0970  TERMINAL LUG, 20 REQUIRED, FSN 5940-557-1627  TERMINAL LUG, 2 REQUIRED, FSN 5940-644-0713  TERMINAL LUG, 3 REQUIRED, FSN 5940-660-3634  WIRE, ELECTRICAL, NO. 10 AWG, AS REQUIRED, FSN 6145-578-7513  WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516  WIRE, ELECTRICAL, NO. 16 AWG, FSN 6145-578-7517  GROUP 03 - COMPRESSOR							
X20		COVER, CRANKCASE HEATER D4341-1505 (60532)	EA	1					7
X20		SPRING SPG58 (60532)	EA	1					7
X20		COVER COV351 (60532)	EA	1					7
X20		INSULATION INS128 (60532)	EA	1					7
P O	4130-469-6759	CRANKCASE, HEATER C4525-734-4 (60532))	EA	1	*	*	*	*	7
P O	5305-206-0512	SCREW, MACHINE: RECEPTACLE MTG, NO. 6-32 THD SIZE, 1/2 IN. LG AN515-6-8 (88044)	EA	4	*	*	*	*	8
P O	5310-045-4007	WASHER, LOCK: COVER AND RECEPTACLE MTG, NO. 6 SCREW SIZE MS35338-41 (96906)	EA	8	*	*	*	*	8
P O	5305-591-3320	SCREW, MACHINE: LEAD TERMINAL MTG, NO. 10-32 THD SIZE, 5/16 IN. LG AN520-10-5 (88044)	EA	3	*	*	*	*	8
P O	5310-551-6308	WASHER, LOCK: COVER AND TERMINAL BOARD MTG, NO. 10 SCREW SIZE MS35340-43 (96906)	EA	5	*	*	*	*	8
M O		RECEPTACLE ASSEMBLY, ELECTRIC: J11 B4525-727 (60532) MANUFACTURE FROM:  CONNECTOR RECEPTACLE, ELECTRIC, 1 REQUIRED, FSN 5935-847-0568  INSULATION, AS REQUIRED, P/N D4525-731-1 (60532)  INSULATION, AS REQUIRED, P/N D4525-732-2 (60532)  TERMINAL LUG, 3 REQUIRED, FSN 5940-204-9142  TERMINAL LUG, 2 REQUIRED, FSN 5940-557-1629  TERMINAL LUG, 4 REQUIRED, FSN 5940-059-4475	EA	1					8

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) UNIT OF MEAS	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG. NO.	(b) ITEM NO.
		WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517								
		WIRE, ELECTRICAL, NO. 10 AWG, AS REQUIRED, FSN 6145-578-7513								
		WIRE, ELECTRICAL, NO. 18 AWG, AS REQUIRED, FSN 6145-578-7518								
P O	5305-206-0513	SCREW, MACHINE: COVER MTG, NO. 6-32 THD SIZE, 5/16 IN. LG AN515-6-5 (88044)		EA	4	*	*	*	8	6
X20		COVER B4525-196-3 (60532)		EA	1				8	7
P O		SCREW, MACHINE: TERMINAL BOARD MTG, NO. 10-32 THD SIZE, 5/8 IN. LG AN520-10-10 (88044)		EA	2	*	*	*	8	8
X20		TERMINAL BOARD 812-2 (75382)		EA	1				8	9
X20		GROMMET, RUBBER MS35490-34 (96906)		EA	1				8	10
		GROUP 05 - REFRIGERATION COMPONENTS AND CONDENSATE DRAIN								
X20		CLAMP, HOSE MS35842-11 (96906)		EA	2				10	38
X20		HOSE, DRAIN HSE45 (60532)		EA	1				10	39
X20		TUBE ASSEMBLY, DRAIN: EVAPORATOR CONDENSATE C4525-281 (60532)		EA	1				10	
X20		TUBE, DRAIN B4525-280 (60532)		EA	1				10	40
P O	5315-234-1856	PIN, COTTER MS24665-155 (96906)		EA	1	*	*	*	10	41
X20		BALL BEARING BAL25 (60532)		EA	1				10	42
X20		SPRING, HELICAL COMPRESSION SPG55 (93232)		EA	1				10	43
P O	5305-989-7435	SCREW, MACHINE: NO. 10-32 THD SIZE, 5/8 IN. LG MS35207-264 (96906)		EA	22	*	*	*	11	3
X20		NUT 083-141 (93781)		EA	2				11	12
X20		HOUSING 083-27 (93781)		EA	2				11	13
X20		SLEEVE 3MP25 (93781)		EA	4				11	14
X20		COIL, 24V, DC 757230 (93781)		EA	2				11	15
P O	5310-197-2298	NUT, SELF-LOCKING: HEXAGON, CONNECTOR MTG, NO. 4-40 THD SIZE MS21044NO4 (96906)		EA	8	*	*	*	11	16
P O	5305-984-4979	SCREW, MACHINE: CONNECTOR MTG, NO. 4-40 THD SIZE, 1 1/4 IN. LG MS35206-222 (96906)		EA	8	*	*	*	11	17
X20		CONNECTOR RECEPTACLE, ELECTRIC MS3102R12S3P (96906)		EA	2				11	18

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	15-DAY ORGANIZATIONAL MAINTENANCE AL*				ILLUS- TRATION	
						101	102	C	D	FIG. NO.	ITEM NO.
						1-5	6-20	21-50	51-100		
		REF NUMBER & MFR CODE									
X20		ADAPTER: CONNECTOR C4525-110 (60532)		EA	2					11	19
X2C		CLAMP, LOOP: SUPPORT, EVAPORATOR PAN DRAIN PIPE MS219190G10 (96906)		EA	1						
X20		PLATE, INSTRUCTION: SIGHT GLASS PLT199 (60532)		EA	1						
		GROUP 06 - HEATER ASSEMBLY									
P O	5305-989-7434	SCREW, MACHINE: SUPPORT MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	4	*	*	*	*	12	1
X20		HEATING ASSEMBLY A4525-540-1 (60532)		EA	1					12	
X20		CLAMP ASSEMBLY C4525-580-1 (60532)		EA	6					12	2
X20		SCREW, ASSEMBLY 12-11-607-12 (94222)		EA	2					12	3
X20		WASHER, RETAINING 12-11014-12 (94222)		EA	2					12	4
X20		CLAMP D4525-254-1 (60532)		EA	1					12	5
P O		HEATING ELEMENT 4385-005-01 (71400)		EA	6	*	*	*	*	12	6
P O	5310-889-2549	NUT, SELF-LOCKING: HEXAGON, SWITCH MTG, NO. 8-32 THD SIZE MS21045-08 (96906)		EA	2	*	*	*	*	12	7
P O	5310-011-4986	WASHER, FLAT: SWITCH MTG, NO. 8 SCREW SIZE MS27183-7 (96906)		EA	1	*	*	*	*	12	8
P O	5305-984-6194	SCREW, MACHINE: SWITCH MTG, NO. 8-32 THD SIZE, 5/8 IN. LG MS35206-246 (96906)		EA	2	*	*	*	*	12	9
X20		SUPPORT, HEATER B4525-529 (60532)		EA	1					12	10
P O		SWITCH, THERMOSTATIC, HEATER TYPECWA1249 (82647)		EA	1	*	*	*	*	12	11
M O		WIRING, HEATING ASSEMBLY AND THERMOSTATIC SWITCH: INDIVIDUAL LEADS MANUFACTURE FROM:  TERMINAL LUG, 5 REQUIRED, FSN 5940-204-9142  TERMINAL LUG, 6 REQUIRED, FSN 5940-644-8713  WIRE, ELECTRICAL, NO. 12 AWG, AS REQUIRED, FSN 6145-578-7521  WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516  GROUP 07 - FANS AND MOTORS		EA	6						
P O	5306-225-8498	SCREW, CAP, HEXAGON HEAD: MOTOR MTG, 5/16-18 THD SIZE, 7/8 IN. LG MS90725-33 (96906)		EA	4	*	*	*	*	13	1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) UNIT OF MEAS QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(7) ILLUS- TRATION		
					(a)	(b)	(c)	(d)	(a)	(b)	
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.	
P O	5310-407-9566	WASHER, LOCK: MOTOR MTG, 5/16 IN. SCREW SIZE MS35338-45 (96906)		EA	4	*	*	*	*	13	2
P O	5310-081-4219	WASHER, FLAT: MOTOR MTG, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	4	*	*	*	*	13	3
X20		SHIM, ADJUSTING: CONDENSER FAN MOTOR, .063 IN. THK C4525-761-3 (60532)		EA	4					13	4
X20		SHIM, ADJUSTING: CONDENSER FAN MOTOR, .032 IN. THK C4525-761-4 (60532)		EA	4					13	5
P20		FAN ASSEMBLY, CONDENSER FAN297 (60532)		EA	1	*	*	*	*	13	6
X20		SCREW, SET SCR325 (60532)		EA	2					13	7
X20		KEY, MACHINE MS20066-147 (96906)		EA	1					13	8
P O	6105-401-4616	MOTOR CONDENSER, FAN: 60 CYCLE 7015-4 (64731) (COMPONENTS SAME AS MOTOR, CONDENSER FAN, P/N 7025-6 (64731) EXCEPT AS SYMBOLIZED) (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE, COMPLETE MOTOR AND NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE PROPER SUPPLY OF PARTS OR MOTOR)	A	EA	1	*	*	*	2	13	
P O		MOTOR, CONDENSER, FAN: 400 CYCLE 7025-6 (64731) (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE, COMPLETE MOTOR AND NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE PROPER SUPPLY OF PARTS OR MOTOR)	B	EA	1	*	*	*	2	13	
P O	5305-012-0612	SCREW, MACHINE: BELL MTG, NO. 10-32 THD SIZE, 5/8 IN. LG MS35242-73 (96906)		EA	8	*	*	*	*	13	9
X20		END BELL, FRONT 02-009922-000 (64731)		EA	1					13	10
X20		END BELL, REAR 02-009923-000 (64731)		EA	1					13	11
X20		BEARING, BALL, FRONT 01-005248-005 (64731)		EA	1					13	12
X20		ROTOR AND SHAFT 02-010794-002 (64731)	A	EA	1					13	13
X20		ROTOR AND SHAFT 02-010795-002 (64731)	B	EA	1					13	13
X20		BEARING, BALL, REAR 01-005248-006 (64731)		EA	1					13	14
X20		FRAME AND STATOR 02-10794-001 (64731)	A	EA	1					13	15
X20		FRAME AND STATOR 02-010795-001 (64731)	B	EA	1					13	15
P O	5305-206-8156	SCREW, MACHINE: BOX MTG, NO. 8-32 THD SIZE, 2 IN. LG		EA	4	*	*	*	*	13	16
X20		BOX, CONNECTOR 9242P (64731)		EA	1					13	17


(1) SMR CODE	(2) FEDERAL STOCK NUMBFR	(3) DESCRIPTION  REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
						(a)	(b)	(c)	(d)	(a)	(b)
						1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
P O	5305-013-2636	SCREW, MACHINE: CONNECTOR MTG, NO. 4-40 THD SIZE, 3/8 IN. LG		EA	4	*	*	*	*	13	18
X20		CONNECTOR, PLUG, ELECTRIC MS3102R16-10P (96906)		EA	1					13	19
P O	5305-889-2999	SCREW, MACHINE: PROTECTOR MTG, NO. 4-40 THD SIZE, 1/2 IN. LG MS35206-217 (96906)		EA	2	*	*	*	*	13	20
X20		PROTECTOR, THERMAL OVERLOAD MMH33AO (82646)	A	EA	1					13	21
X20		PROTECTOR, THERMAL OVERLOAD MMH20AO (82646)	B	EA	1					13	21
P O	5306-225-8496	SCREW, CAP, HEXAGON: MOTOR MTG, 5/16-18 THD SIZE, 5/8 IN. LG MS90725-31 (96906)		EA	4	*	*	*	*	14	1
P O		WASHER, FLAT: MOTOR MTG, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	4	*	*	*	*	14	2
P O	5310-040-9566	WASHER, LOCK: MOTOR MTG, 5/16 IN. SCREW SIZE MS35338-45 (96906)		EA	4	*	*	*	*	14	3
X20		FAN AND MOTOR ASSEMBLY, EVAPORATOR: 60 CYCLE B4525-368-1 (60532) (COMPONENTS SAME AS FAN AND MOTOR ASSEMBLY, P/N B4525-368-2, EXCEPT AS SYMBOLIZED)	A	EA	1					14	
X20		FAN AND MOTOR ASSEMBLY, EVAPORATOR: 400 CYCLE B4525-368-2 (60532)	B	EA	1					14	
P O	5305-206-3466	SETSCREW: FANS, SOCKET HEAD, 1/4-20 THD SIZE, 3/4 IN. LG D4524-2058 (60532)		EA	4	*	*	*	*	14	4
P20	4130-981-6616	FAN, RIGHT HAND, EVAPORATOR FAN183 (60532)		EA	1	*	*	*	*	14	5
P20		FAN, LEFT HAND, EVAPORATOR FAN296 (60532)		EA	1	*	*	*	*	14	6
X20		KEY, MACHINE MS20066-146 (96906)		EA	2					14	7
P O	6105-253-5519	MOTOR, EVAPORATOR FAN: 60 CYCLE 926303 (64731) (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE, COMPLETE MOTOR AND NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE PROPER SUPPLY OF PARTS OR MOTOR)	A	EA	1	*	*	*	2	14	
P O	6105-253-5520	MOTOR, EVAPORATOR FAN: 400 CYCLE 4715-22 (64731) (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE, COMPLETE MOTOR AND NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE PROPER SUPPLY OF PARTS OR MOTOR)	B	EA	1	*	*	*	2	14	
P O		SCREW, MACHINE: BELL MTG, NO. 10-32 THD SIZE, 3/4 IN. LG MS35224-65 (96906)		EA	8	*	*	*	*	14	8
X20		END, BELL 02-009312-000 (64731)		EA	2					14	9



SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION  REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(7) ILLUS- TRATION	
						(a)	(b)	(c)	(d)	(a)	(b)
						1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
X20		BEARING, BALL 01-005246-084 (64731)		EA	2					14	10
X20		ROTOR AND SHAFT 02-010391-009 (64731)	A	EA	1					14	11
X20		ROTOR AND SHAFT 02-010809-002 (64731)	B	EA	1					14	11
X20		FRAME AND STATOR 02-009486-001 (64731)	A	EA	1					14	12
X20		FRAME AND STATOR 02-010809-001 (64731)	B	EA	1					14	12
P O	5305-206-8156	SCREW, MACHINE: BOX MTG, NO. 8-32 THD SIZE, 2 IN. LG		EA	4	*	*	*	*	14	13
X20		BOX, CONNECTOR 9315P (64731)		EA	1					14	14
P O	5305-013-2636	SCREW, MACHINE: CONNECTOR MTG, NO. 4-40 THD SIZE, 3/8 IN. LG		EA	4	*	*	*	*	14	15
X20		CONNECTOR PLUG, ELECTRIC MS3102R14S7P (96906)		EA	1					14	16
P O		SCREW, MACHINE: PROTECTOR MTG, NO. 4-40 THD SIZE, 1/2 IN. LG MS35206-217 (96906)		EA	2	*	*	*	*	14	17
X20		PROTECTOR, THERMAL OVERLOAD MWJ39AO (82646)	A	EA	1					14	18
X20		PROTECTOR, THERMAL OVERLOAD MWJ33AO (82646)	B	EA	1					14	18
		GROUP 08 - WIRING HARNESSES									
M C		WIRING HARNESS: P14 AND J12, FROM JUNCTION BOX TO P12 B4525-613 (60532) MANUFACTURE FROM:  CONNECTOR PLUG, ELECTRIC: P14 HARNESS, 1 REQUIRED, P/N MS3106R28-9PW (96906)  CONNECTOR RECEPTACLE, ELECTRIC: J12 HARNESS, AS REQUIRED, P/N MS3100R28-9SZ (96906)  WIRE, ELECTRICAL, 16 AWG, AS REQUIRED, FSN 6145-570-7517  WIRE, ELECTRICAL, 14 AWG, AS REQUIRED, FSN 6145-570-7516		EA	1						
M C		WIRING HARNESS: P5, P10, P11 AND P16, FROM JUNCTION BOX TO COMPRESSOR, PRESSURE SWITCH AND SOLENOID VALVE B4525-612 (60532) MANUFACTURE FROM:  CONNECTOR PLUG, ELECTRIC: P5 HARNESS, 1 REQUIRED, FSN 5935-725-4630  CONNECTOR PLUG, ELECTRIC: P16 HARNESS, 1 REQUIRED, P/N MS3106R12S3SY (96906)  CONNECTOR PLUG, ELECTRIC: P11 HARNESS, 1 REQUIRED, FSN 5935-070-7580		EA	1						


(1) SMR CODE	(2) FEDERAL STOCK NUMBFR	(3) DESCRIPTION  REF NUMBER & MFR CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLU TRAT
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
M O		CONNECTOR PLUG, ELECTRIC: P10 HARNESS, 1 REQUIRED, P/N MS310R36-14PX (96906)  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517  WIRE, ELECTRICAL, NO. 10 AWG, AS REQUIRED, FSN 6145-578-7513  WIRING HARNESS: P6, P12 AND J7, FROM J12 TO SOLENOID VALVE AND P7 B4525-614 (60532) MANUFACTURE FROM:  CONNECTOR PLUG, ELECTRIC: P6 HARNESS, 1 REQUIRED, FSN 5935-725-4638  CONNECTOR PLUG, ELECTRIC: P12 HARNESS, 1 REQUIRED, P/N MS3106R28-9PZ (96906)  CONNECTOR RECEPTACLE, ELECTRIC: J7 HARNESS, 1 REQUIRED, P/N MS3100R28-9SX (96906)  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517  WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516	EA	1					
M O		WIRING HARNESS: J1 AND P13, POWER INPUT B4525-615 (60532) MANUFACTURE FROM:  CONNECTOR PLUG, ELECTRIC: P13, 1 REQUIRED, P/N MS3106R24-22SX (96906)  CONNECTOR RECEPTACLE, ELECTRIC: J1, 1 REQUIRED P/N MS3100R24-22P (96906)  WIRE, ELECTRICAL, NO. 8 AWG, AS REQUIRED, FSN 6145-578-7515	EA	1					
M O		WIRING HARNESS: P2, P4 AND P8, FROM CONTROL PANEL TO JUNCTION BOX AND CONDENSER FAN MOTOR B4525-616 (60532) MANUFACTURE FROM:  CONNECTOR PLUG, ELECTRIC: P8 HARNESS, 1 REQUIRED, FSN 5935-826-3956  CONNECTOR PLUG, ELECTRIC: P2 HARNESS, 1 REQUIRED, FSN 5935-755-3493  CONNECTOR PLUG, ELECTRIC: P4 HARNESS, 1 REQUIRED, P/N MS3106R36-14P (96906)  WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517  WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516	EA	1					
M O		WIRING HARNESS: P3 AND P7, FROM J7 TO HEATER AND EVAPORATOR FAN MOTOR B4525-539 (60532) MANUFACTURE FROM:  CONNECTOR PLUG, ELECTRIC: P3, 1 REQUIRED, FSN 5935-805-4991	EA	1					

1) MFR CODE	2) FEDERAL STOCK NUMBER	3) DESCRIPTION  REF NUMBER & MFR CODE	4) UNIT OF MEAS OR CODE	5) QTY NC -N UNIT	6) 5-DAY ORGANIZATIONAL MAINTENANCE ALLOW				7) ILLUS- TRATION	
					a)	b)	c)	d)	a)	b)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
		CONNECTOR PLUG, ELECTRIC: P7, 1 REQUIRED, P/N MS3106R20-5PX (96906)								
		TERMINAL LUG, 6 REQUIRED, FSN 5940-644-8713								
		WIRE, ELECTRICAL, NO. 14 AWG, AS REQUIRED, FSN 6145-578-7516								
		WIRE, ELECTRICAL, NO. 16 AWG, AS REQUIRED, FSN 6145-578-7517								
O	5935-316-3644	CONNECTOR PLUG, ELECTRIC, P1, POWER INPUT MS3106R24-22S (96906)	EA	1						
X20		CAP, DUST: INPUT POWER CONNECTOR, P1 MS25043-246 (96906)	EA	1						
M O		INSULATION SLEEVING, ELECTRIC FIT221-3-16 (92164) MANUFACTURE FROM:	EA	1						
		INSULATION SLEEVING, 3/16 IN. ID, AS REQUIRED, FSN 5970-082-3942								
M O		INSULATION SLEEVING, ELECTRIC FIT221-1-3 (92164) MANUFACTURE FROM:	EA	3						
		INSULATION SLEEVING, 1/8 IN. ID, AS REQUIRED, FSN 5970-990-9912								
X20		CLAMP, LOOP: WIRING HARNESS MTG, HEATER MS21919068 (96906)	EA	1						




ME 4120-268-35P/1

FIGURE 1. CASING, PANELS, GRILLES AND MIST ELIMINATOR




ME 4120-268 - 1/2

Figure 2. Damper Control Grille, Panel and Guard




ME 4120-268-35P/3

Figure 3. Control Panel



ME 4120-268-35P/4


Figure 4. Junction Box, Transformer and Wiring Harnesses



ME 4120-268-35P/5

Figure 5. Panel





ME 4120-268-35P/6

Figure 6. Filter






Figure 7. Compressor



ME 4120-268-35P/8

Figure 8. Compressor Electrical Components



ME 4120-268-35P/10

Figure 10. Evaporator, Valves, Tubes and Fittings




Figure 11. Condenser, Receiver, Valves, Tubes and Fittings





Figure 12. Heater



ME 4120 255 35P/13

Figure 13. Condenser Fan and Motor




Figure 14. Evaporator Fan and Motor



# V. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER

## CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE No.	ITEM No.	STOCK NUMBER	FIGURE No.	ITEM No.
4130-193-3488	1	30	5310-551-5308	3	4
4130-469-5758	1		5310-584-7900	3	18
4130-469-5759	7	14	5310-595-5437	2	3
4130-938-0974	2	5	5310-751-5882	5	1
4130-981-5616	14	5	5310-809-4085	5	16
5305-012-0612	13	7	5310-809-4546	1	34
5305-013-2636	13	18		2	27
	14	15		5	24
5305-018-3878	4	2		6	21
5305-043-1942	3	1	5310-811-3494	2	9
	4	1	5310-889-2544	1	56
5305-175-3230	2	18		2	12
5305-206-0512	8	1		3	22
5305-206-0513	8	6		4	15
5305-206-3466	14	4	5310-889-2549	2	36
5305-206-8156	13	16		3	4
	14	13		5	4
5305-267-8985	2	33		12	7
5305-591-3320	8	3	5315-234-1856	10	41
5305-724-5799	2	20	5315-663-2329	2	22
5305-889-2999	13	20	5320-874-4477	4	6
5305-889-3000	1	57	5320-882-8388	6	12
	4	14	5320-932-1972	3	12
5305-889-3001	2	13		REF	
5305-958-5451	5	16	5920-280-3175	5	20
5305-984-4979	11	17	5920-939-5442	5	21
5305-984-4988	5	1	5925-465-9743	5	3
	6	4	5930-876-1634	3	6
5305-984-6193	1	27	5930-907-8948	3	16
	3	3	5945-826-2218	5	26
	5	6	5945-976-3007	5	12
5305-984-6194	1	1	6105-253-5519	14	
	2	1	6105-253-5520	14	
	3	21	6105-401-4616	13	

# INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER

## CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

REFERENCE No.	Mfg CODE	FIG No.	ITEM No.	REFERENCE No.	Mfg CODE	FIG No.	ITEM No.
AD42H	61957	3	12	C4525-417-1	60532	2	8
	61957	REF		C4525-524-1	60532	1	29
AD43H	61957	6	12	C4525-535	60532	2	34
AK41H	61957	1	4	C4525-549	60532	1	
	61957	6	9	C4525-580-1	60532	12	2
AK42H	61957	4	6	C4525-588-1	60532	3	14
AL18-4-5	31234	1	30	C4525-597	60532	3	11
AL27-88-12-5	31234	2	6	C4525-689-1	60532	1	36
AN316-7R	88044	6	15	C4525-703-2	60532	1	12
AN515-6-5	88044	8	6	C4525-734-4	60532	7	14
AN515-6-8	88044	8	1	C4525-761-1	60532	1	39
AN520-10-10	88044	8	8	C4525-761-2	60532	1	40
AN520-10-5	88044	8	3	C4525-761-3	60532	13	4
A19AGF9	92578	3	6	C4525-761-4	60532	13	5
A2301-8958	60532	4	8	C4525-762-1	60532	2	39
A2301-8959	60532	4	8	D4341-1505	60532	7	
A4525-229-1	60532	2	10	D4524-2058	60532	14	4
A4525-291-48	60532	5	13	D4524-6038-1	60532	2	35
A4525-291-75	60532	6	18	D4525-123-1	60532	1	23
A4525-293-68	60532	3	5	D4525-128-1	60532	2	3
A4525-293-82	60532	5	30	D4525-128-2	60532	2	2
A4525-400	60532	1	14	D4525-231-1	60532	1	18
A4525-403	60532	1	11	D4525-254-1	60532	12	5
A4525-498	60532	4	4	D4525-493-2	60532	2	25
A4525-502	60532	4	21	D4525-533-1	60532	2	30
A4525-540-1	60532	12		D4525-579	60532	2	29
A4525-594-1	60532	3	15	D4525-792-1	60532	3	24
A4525-595-1	60532	3		D4525-794-1	60532	2	32
	60532	3	3	E4525-617	60532	2	11
8AL25	60532	10	42	FAN183	60532	14	5
8H525-496-1	60532	5		FAN296	60532	14	6
84525-196-2	60532	1	59	FAN297	60532	13	6
84525-196-3	60532	1	58	FR30SNO-24	06151	5	12
	60532	2	14	F098250V16-10A	81349	5	20
	60532	8	7	F39155-08	15653	1	5
84525-244-1	60532	2	41	F39155-3	15653	1	6
84525-249-21	60532	1		G1152	79499	2	40
84525-275	60532	6		HSE45	60532	10	39
84525-280	60532	10	40	INS128	60532	7	13
84525-307-24	60532	2	16	KAW5	71400	5	21
84525-316-1	60532	1	35	MS15795-708	96906	3	18
84525-317-1	60532	1	35	MS171499	96906	2	22
84525-338-2	60532	5		MS20066-146	96906	14	7
84525-368-1	60532	14		MS20066-147	96906	13	8
84525-368-2	60532	14		MS21044N04	96906	5	10
84525-386-1	60532	4	11	MS21044N08	96906	2	9
84525-387-1	60532	4			96906	4	20
84525-393-1	60532	1	21	MS21044N04	96906	11	16
84525-394	60532	1		MS21045-06	96906	1	56
84525-459	60532	5	28		96906	2	12
84525-500	60532	4	18		96906	3	22
84525-525	60532	1	41		96906	4	15
84525-529	60532	12	10	MS21045-08	96906	2	36
84525-537-1	60532	1	7		96906	3	4
84525-538	60532	2	37		96906	5	4
84525-539	60532	2			96906	12	7
84525-590	60532	3	23	MS21045-3	96906	2	26
84525-596	60532	3			96906	3	20
84525-727	60532	8	5		96906	5	29
84525-749	60532	2	5	MS21045-4	96906	2	15
84525-770	60532	1	13	MS21062-06	96906	6	10
C0V351	60532	7	12	MS21318-14	96906	2	18
C13853-1420	78553	4	13	MS219190G6	96906	3	10
C4525-116	60532	11	19	MS227183-1	96906	14	2
C4525-124	60532	1		MS24665-155	96906	10	41
C4525-1255-17	60532	4	12	MS27131-19K	96906	6	14
C4525-203	60532	5	2	MS27183-12	96906	1	38
C4525-206-1	60532	3	13		96906	2	23
C4525-208-1	60532	2	19		96906	13	3
C4525-228-1	60532	2	21	MS27183-16	96906	6	16
C4525-241-21	60532	1	60	MS27183-6	96906	6	5
C4525-266-1	60532	6	11	MS27183-7	96906	1	2
C4525-268-1	60532	6	6		96906	2	7
C4525-269	60532	6	13		96906	5	8
C4525-270	60532	6			96906	12	8
C4525-281	60532	10		MS27183-8	96906	1	34
C4525-326-1	60532	1	8		96906	2	27
C4525-354	60532	4	16		96906	5	24
C4525-391-1	60532	1	20		96906	6	21
C4525-392-1	60532	1	19	MS3102R1253P	96906	11	18
C4525-407	60532	5	9	MS3102R1457P	96906	14	16
C4525-408-2	60532	5		MS3102R16-10P	96906	13	19

Section V. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

REFERENCE No.	MFG CODE	FIG No.	ITEM No.	REFERENCE No.	MFG CODE	FIG No.	ITEM No.
MS35190-239	96906	5	16	02-010795-001	64731	13	15
MS35206-214	96906	5	11	02-010795-002	64731	13	13
MS35206-217	96906	13	20	02-010809-001	64731	14	12
	96906	14	17	02-010809-002	64731	14	11
MS35206-222	96906	11	17	02-10794-001	64731	13	15
MS35206-228	96906	5	1	10-006	12881	6	7
	96906	6	4		12881	REF	
MS35206-230	96906	1	57	12-11-203-12	94222	4	9
	96906	2	13	12-11-504-12	94222	1	17
	96906	4	14	12-11-507-12	94222	12	3
MS35206-234	96906	3	21	12-11-613-12	94222	1	15
MS35206-245	96906	1	27	12-11014-12	94222	1	16
	96906	3	3		94222	4	10
	96906	4	19		94222	12	4
	96906	5	6	12-1102013	94222	4	7
MS35206-246	96906	1	1	22010	75382	5	25
	96906	2	1	244-16	71286	1	26
	96906	12	9	2819	71400	5	18
MS35206-247	96906	1	10	3MP25	93781	11	14
MS35206-249	60532	5	14	3502-18-365	78189	2	24
MS35207-263	96906	2	38	35566	22694	4	17
	96906	3	8	40537-7	71286	1	22
	96906	5	27	4002N	71286	1	24
MS35207-264	96906	12	1	4385-005-01	71400	12	6
	96906	1	32	4515	71400	5	19
	96906	2	28	4715-22	64731	14	
	96906	6	19	5JX100MODIFIED	56289	6	17
MS35207-266	96906	11	3	605JJ2502-6	75382	5	15
MS35207-267	96906	5	22	7015-4	64731	13	
	96906	3	17	7025-6	64731	13	
MS35224-65	96906	5	31	71-212-4MG6	74193	5	3
MS35242-73	96906	14	8	71-212-5MG6	74193	5	3
MS35336-9	96906	13	9	757230	93781	11	15
MS35338-41	96906	5	17	812-2	75382	8	9
MS35338-42	96906	8	2	8912K216	15605	3	16
	96906	1	28	9242P	64731	13	17
	96906	2	4	926303	64731	14	
MS35338-43	96906	5	7	9315P	64731	14	14
	96906	1	33	9565H28	15605	5	5
	96906	3	9	9565H94	15605	5	26
	96906	5	23				
	96906	6	20				
MS35338-45	96906	13	2				
	96906	14	3				
MS35340-43	96906	8	4				
MS35490-1	96906	3	7				
MS35490-34	96906	8	10				
MS35650-102	96906	3	19				
MS35842-11	96906	10	38				
MS35914-108	96906	4	5				
MS51964-51	96906	2	20				
MS51967-2	96906	6	1				
MS90725-31	96906	14	1				
MS90725-33	96906	13	1				
MS90726-18	96906	2	33				
MS90726-34	96906	1	37				
MWH20A0	82646	13	21				
MWH33A0	82646	13	21				
MWH39A0	82646	14	18				
MWJ33A0	82646	14	18				
NAS1297-4-4	80205	2	17				
NAS1297-4-6	80205	2	31				
PLV128	60532	1	55				
RB175	86797	3	2				
R4G	71286	1	25				
SCR325	60532	13	7				
SPG55	93232	10	43				
SPG58	60532	7	11				
SSQ257	58849	6	8				
TYPECWA1249	82647	12	11				
XX78328-20	90763	1	3				
083-141	93781	11	12				
083-27	93781	11	13				
01-005248-084	64731	14	10				
01-005248-085	64731	13	12				
01-005248-086	64731	13	14				
02-009312-000	64731	14	9				
02-009486-001	64731	14	12				
02-009922-000	64731	13	10				
02-009923-000	64731	13	11				
02-010391-009	64731	14	11				
02-010794-002	64731	13	13				

ITEMS NOT ILLUSTRATED

STOCK NUMBER

GROUP NUMBER

5320-882-8388  
5320-932-1972  
5935-578-2742  
5935-016-8644  
5340-598-0597  
5970-082-3942  
5970-990-9912

01  
01  
08  
08  
08  
08  
08

REFERENCE No.

MFG CODE

GROUP No.

AA525-261  
BA525-539  
BA525-612  
BA525-613  
BA525-614  
BA525-615  
BA525-616  
CA525-209-1  
CA525-211-1  
CA525-220-1  
CA525-221-1  
CA525-277-1  
CA525-763-1  
CA525-764-1  
CA525-765-1  
CA525-767-1  
CA525-768-1  
DA525-141-1  
PLT199

60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532  
60532

01  
08  
08  
08  
08  
08  
08  
01  
01  
01  
01  
01  
01  
01  
01  
01  
01  
01  
05

By Order of the Secretary of the Army:

Official:

W. C. WESTMORELAND,  
*General, United States Army,*  
*Chief of Staff.*

KENNETH G. WICKHAM,  
*Major General, United States Army,*  
*The Adjutant General.*

Distribution:

To be distributed in accordance with DA Form 12-25, Sec III (qty rqr Block #553), Operator requirements for Air Conditioners, 36,000 BTU, Floor Mounting.

☆ U.S. GOVERNMENT PRINTING OFFICE ; 1990 O - 275-730

45  
2